

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public services- I & CAD Department- Irregularities and corruption in providing earth dugout from Eluru canal in West Godavari Dt- Disciplinary proceedings against Sri K.Satyanarayana, Assistant Engineer under Rule 20 of APCS(CC&A) Rules, 1991- Enquiry conducted- charges not proved- Dropping of further action- orders - Issued.

IRRIGATION & CAD (Ser.VII(V&E-2) DEPARTMENT

G.O. Rt.No.

Dt. 18-06-2011

Read the following :

1. From the General Administration (V&E) Department Vigilance Report No. 99(1038/V&E/El/05), dated 15-09-2006.
2. G.O.Rt.No. 1206, I & CAD 9Ser.VII(V&E-2) Department, dated 29-10-2007.
3. Written statement of defense received from Sri I.Satyanarayana, Assistant Engineer, dated 06-12-2007.
4. G.O.Rt.No. 923, I & CAD 9Ser.VII(V&E-2) Department , dated 19-07-2008.
5. From the Inquiring Authority D.O. Lr.No. 1368/COI-CK/A1/2008, Dt.01-06-2010.

ORDER :

In the reference 1st read above, it has been brought to the notice of the Government that certain Engineers of I & CAD Department have committed irregularities in providing earth dugout from Eluru Canal in West Godavari District.

2. Government after careful examination, in the reference 2nd read above, initiated disciplinary action against Sri K..Satyanarayana, Assistant Engineer.

3. In the reference 3rd read above, Sri K. Satyanarayana, Assistant Engineer has submitted his written statement of defense duly denying the charges framed against him.

4. In the reference 4th read above, orders were issued appointing Smt Chandana Khan, IAS, member, COI, as Inquiring Authority to conduct enquiry into the charges framed against Sri K. Satyanarayana, Assistant Engineer and another as his written statement of defense is not convincing.

5. In the reference 5th read above, the Inquiring Authority submitted enquiry report stating that the charges are not held proved against Sri K.Satyanarayana, Assistant Engineer.

6. Government, after careful examination of the entire issue have decided to accept the findings of the Inquiring Authority and to drop further action against Sri K.Satyanarayana, Assistant Engineer.

7. The Engineer-in-Chief (AW), I & CAD Department, Hyderabad shall take necessary, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAIENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri K. Satyanarayna, Assistant Engineer, through the Engineer-in-Chief (AW), I & CAD Department

The Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

The General Administration (V&E) Department

The Secretary, APVC, Hyderabad.

//FORWARDED :: BY ORDER//

SECTION OFFICER